Contents to volume 269

Announcement from the Publisher v

Discussion Letter

Hydrophobic cluster analysis reveals duplication in the external structure of human α-interferon receptor and homology with γ-interferon receptor external domain (FEBS 08716) *C. Gaboriaud, G. Uzé, G. Lutfalla, K. Mogensen* 1

Research Letters

The specific inhibitor of protein kinase C, 1-(5-isoquinolinylsulfonyl)-2-methylpiperazine (H7), induces morphological change and cell differentiation of human neural crest-derived cell lineages (FEBS 08711) *M.T. Parodi, L. Varesio, G.P. Tonini* 4

Regulation of the Na^+-K^+ pump activity and estimation of the reserve capacity in intact rat peritoneal mast cells (FEBS 08710) *T. Knudsen, T. Johansen* 7

The sequence of the hemoregulatory peptide is present in $G_{i\alpha}$ proteins (FEBS 08713) *O.D. Laerum, S. Frostad, H.I. Tøn, D. Kamp* 11

Rates of cholesterol, ubiquinone, dolichol and dolichyl-P biosynthesis in rat brain slices (FEBS 08714) *M. Andersson, P.G. Elmberger, C. Edlund, K. Kristensson, G. Dallner* 15

Neutron scattering study of the (γ-B) catalytic domains of complement proteases $C\bar{1}r$ and $C\bar{1}s$ (FEBS 08715) *G. Zaccaï, C.A. Aude, N.M. Thielens, G.J. Arlaud* 19

Membrane elasticity of mouse dorsal root ganglion neurons decreases with aging (FEBS 08712) *H. Horie, S. Ikuta, T. Takenaka* 23

The influence of oligonucleotide-effector on the selectivity of sequence specific modification of 16 S rRNA (FEBS 08717) *M.A. Zenkova, O.S. Fedorova, A.S. Levina, S.V. Mamaev, G.G. Karpova* 26

DNA demethylation in erythroleukaemia cells (FEBS 08718) *R.L.P. Adams, A. Hanley, A. Rinaldi* 29

Complementary DNA and deduced amino acid sequences of porcine α_1-microglobulin and bikunin (FEBS 08720) *W. Gebhard, T. Schreitmüller, H. Vetr, E. Wachter, K. Hochstrasser* 32

Norepinephrine evokes a marked Mg^{2+} efflux from liver cells (FEBS 08719) *A. Romani, A. Scarpa* 37

Transcription and translation of the chloroplast atpB-gene and assembly of ATP synthase subunit β (FEBS 08722) *S. Leu, D. Weinberg, A. Michaels* 41

Light-induced D1-protein degradation in isolated photosystem II core complexes (FEBS 08723) *I. Virgin, D.F. Ghanotakis, B. Andersson* 45

Investigation of the substrate specificity of thylakoid protein kinase using synthetic peptides (FEBS 08724) *I.R. White, P.J. O'Donnell, J.N. Keen, J.B.C. Findlay, P.A. Millner* 49

The *Saccharomyces cerevisiae CDC25* gene product is a 180 kDa polypeptide and is associated with a membrane fraction (FEBS 08721) *H. Garreau, J.H. Camonis, C. Guitton, M. Jacquet* 53

Characterization of a chemically synthesized RNA having the sequence of the yeast initiator $tRNA^{Met}$ (FEBS 08725) *J. Bratty, T. Wu, K. Nicoghosian, K.K. Ogilvie, J.-P. Perreault, G. Keith, R. Cedergren* 60

Modulation of albumin-like protein and lysozyme production by bovine tracheal gland serous cells: Dependence on culture conditions (FEBS 08726) *J. Jacquot, F. Dupuit, R. Benali, C. Spilmont, E. Puchelle* 65

Submicromolar Ag^+ increases passive Na^+ permeability and inhibits the respiration-supported formation of Na^+ gradient in *Bacillus FTU* vesicles (FEBS 08727) *A.L. Semeykina, V.P. Skulachev* 69

Production of enkephalin in tobacco protoplasts using tobacco mosaic virus RNA vector (FEBS 08729) *N. Takamatsu, Y. Watanabe, H. Yanagi, T. Meshi, T. Shiba, Y. Okada* 73

Ouabain-insensitive, Na-ATPase activity in pure suspensions of rat kidney proximal tubules (FEBS 08730) *R. Marín, D.C. Gómez, G.A. Rodríguez, T. Proverbio, F. Proverbio* 77

FITC-labeled lipopolysaccharide: use as a probe for liposomal membrane incorporation studies (FEBS 08731) *V.S. Trubetskoy, N.V. Koshkina, V.G. Omel'yanenko, V.L. L'vov, B.A. Dmitriev, A.B. Petrov, V.P. Torchilin* 79

New model of tertiary structure of plant 5S rRNA is confirmed by digestions with α-sarcin (FEBS 08728) *M.Z. Barciszewska, S. Lorenz, A. Joachimiak, N. Ulbrich, V.A. Erdmann, J. Barciszewski* 83

Inhibition of γ-glutamyl transpeptidase decreases amino acid uptake in human keratinocytes in culture (FEBS 08732) *J.R. Viña, P. Blay, A. Ramirez, A. Castells, J. Viña.* 86

Inhibition of oxygen toxicity by targeting superoxide dismutase to endothelial cell surface (FEBS 08733) *M. Inoue, N. Watanabe, Y. Morino, Y. Tanaka, T. Amachi, J. Sasaki* 89

Tumor necrosis factor bifunctionally regulates matrix metalloproteinases and tissue inhibitor of metalloproteinases (TIMP) production by human fibroblasts (FEBS 08734) *A. Ito, T. Sato, T. Iga, Y. Mori* 93

SecE-dependent overproduction of SecY in *Escherichia coli*: Evidence for interaction between two components of the secretory machinery (FEBS 08737) *S. Matsuyama, J. Akimaru, S. Mizushima* 96

Porphyrin-linked oligonucleotides: Synthesis and sequence-specific modification of ssDNA (FEBS 08735) *E.I. Frolova, E.M. Ivanova, V.F. Zarytova, T.V. Abramova, V.V. Vlassov* 101

Mutual dependence of Na,K-ATPase α- and β-subunits for correct posttranslational processing and intracellular transport (FEBS 08736) *U. Ackermann, K. Geering* 105

Site-specific racemization in aging αA-crystallin (FEBS 08738) *P.J.T.A. Groenen, P.R.L.A. van den IJssel, C.E.M. Voorter, H. Bloemendal, W.W. de Jong* 109

A protein with sequence identity to Skp (FirA) supports protein translocation into plasma membrane vesicles of *Escherichia coli* (FEBS 08739) *B.M. Thome, H.K. Hoffschulte, E. Schiltz, M. Müller* 113

EXAFS of the type-1 copper site of rusticyanin (FEBS 08741) *S.D. Holt, B. Piggott, W.J. Ingledew, M.C. Feiters, G.P. Diakun* 117

Pyruvate uptake induced by a pH jump in mesophyll chloroplasts of maize and sorghum, NADP-malic enzyme type C_4 species (FEBS 08742) *J. Ohnishi, R. Kanai* 122

Identification of haptoglobin as an endogenous inhibitor of prostaglandin H synthase in the cytosol fraction of primary cells from sheep vesicular glands (FEBS 08743) *R.U. Beisembaeva, A.T. Mursagalieva, L.M. Dzhumalieva, T.E. Shaikenov, A.T. Mevkh* 125

mRNA levels and methylation patterns of the tyrosine aminotransferase gene in aging inbred rats (FEBS 08746) *P.E. Slagboom, W.J.F. de Leeuw, J. Vijg* 128

The inhibition of human immunodeficiency virus type i reverse transcriptase by avarol and avarone derivatives (FEBS 08744) *S. Loya, A. Hizi* 131

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Modulation of calcium mobilization by guanosine 5'-*O*-(2-thiodiphosphate) in *Xenopus* oocytes (FEBS 08745) *S.C. Sealfon, S. Mundamattom, B. Gillo* 135
Partition coefficients of quinones and hydroquinones and their relation to biochemical reactivity (FEBS 08747) *P.R. Rich, R. Harper* 139
Prediction of arenavirus fusion peptides on the basis of computer analysis of envelope protein sequences (FEBS 08748) *S.E. Ghushakova, I.S. Lukashevich, L.A. Baratova* 145
Comparison of the mode of action of *ras* p21 with those of protein kinases A and C in the stimulation of gene expression in NIH/3T3 cells (FEBS 08749) *N. Oku, K. Kaibuchi, Y. Fukumoto, Y. Hori, H. Fujioka, Y. Takai* 148
Cloning and sequencing of a cDNA encoding human milk β-casein (FEBS 08750) *B. Lönnerdal, S. Bergström, Y. Andersson, K. Hjalmarsson, A.K. Sundqvist, O. Hernell* 153
Atrial natriuretic factor recognizes two receptor subtypes in endothelial cells cultured from bovine pulmonary artery (FEBS 08751) *E.M. Redmond, P.A. Cahill, A.K. Keenan* 157
Interaction of α-actinin and nebulin in vitro: Support for the existence of a fourth filament system in skeletal muscle (FEBS 08752) *R. Nave, D.O. Fürst, K. Weber* 163
Glycosylation of the murine erythropoietin receptor (FEBS 08753) *P. Mayeux, N. Casadevall, O. Muller, C. Lacombe* 167
Paf-acether-induced superoxide anion generation in human B cell line (FEBS 08754) *G. Leca, F. Joly, A. Vazquez, P. Galanaud, E. Ninio* 171
^{15}N nuclear magnetic resonance studies of the B domain of *Staphylococcal* protein A: sequence specific assignments of the imide ^{15}N resonances of the proline residues and the interaction with human immunoglobulin G (FEBS 08755) *H. Torigoe, I. Shimada, M. Waelchli, A. Saito, M. Sato, Y. Arata* 174
Radiorespirometry evidence for the discrimination between ^{13}C-enriched glucose and unlabelled glucose molecules by *Paracoccus denitrificans* (FEBS 08756) *R.H. Dunstan, T. ap Rees, F.R. Whatley, W. Greenaway* 177
Cloning of the human brain GABA transporter (FEBS 08757) *H. Nelson, S. Mandiyan, N. Nelson* 181
Complexes between 15 kDa caldesmon fragment and actin investigated by immuno-electron microscopy (FEBS 08759) *M.-C. Harricane, C. Cavadore, E. Audemard, D. Mornet* 185
Susceptibility of the cartilage collagens types II, IX and XI to degradation by the cysteine proteinases, cathepsins B and L (FEBS 08760) *R.A. Maciewicz, S.F. Wotton, D.J. Etherington, V.C. Duance* 189
Fast atom bombardment mass spectrometry and chemical analysis in determinations of acyl-blocked protein structures (FEBS 08761) *B. Egestad, M. Estonius, O. Danielsson, B. Persson, E. Cederlund, R. Kaiser, B. Holmquist, B. Vallee, X. Parés, J. Jefferey, H. Jörnvall* 194
Injected inositol 1,4,5-trisphosphate activates Ca^{2+}-sensitive K^+ channels in the plasmalemma of *Eremosphaera viridis* (FEBS 08762) *B. Förster* 197
2-Deoxy-D-glucose resistant yeast with altered sugar transport activity (FEBS 08763) *S. Novak, T. D'Amore, G.G. Stewart* 202
Calcium ion activation of the anion-conducting channel in the rat liver mitochondrial inner membrane (FEBS 08764) *M.J. Selwyn, C.L.T. Ng, H.L. Choo* 205
Macrophage proteases can modify low density lipoproteins to increase their uptake by macrophages (FEBS 08766) *D.S. Leake, S.M. Rankin, J. Collard* 209
Calmodulin-dependent multiprotein kinase and protein kinase C phosphorylate the same site on HMG-CoA reductase as the AMP-activated protein kinase (FEBS 08765) *P.R. Clarke, D.G. Hardie* 213
Synergistic and additive induction of metallothionein in Chang liver cells: A possible mechanism of marked induction of metallothionein by stress (FEBS 08767) *Y. Iijima, T. Fukushima, L.A. Bhuiyan, T. Yamada, F. Kosaka, J.D. Sato* 218
The phosphorylation of the two-chain form of vitronectin by protein kinase A is heparin dependent (FEBS 08740) *D. Chain, B. Korc-Grodzicki, T. Kreizman, S. Shaltiel* 221
Parathyroid hormone increases thiol proteinase activity by activation of protein kinase C in cultured kidney tubule cells (OK) (FEBS 08774) *L. Denek, J.S. Schwegler, R.M. Schaefer, A. Heidland* 226
Characterization of the transcript for a depressant insect selective neurotoxin gene with an isolated cDNA clone from the scorpion *Buthotus judaicus* (FEBS 08775) *M. Gurevitz, E. Zlotkin, N. Zilberberg* 229
Molecular cloning of the β-subunit of the Na,K-ATPase in the brine shrimp, *Artemia*: The cDNA-derived amino acid sequence shows low homology with the β-subunits of vertebrates except in the single transmembrane and the carboxy-terminal domains (FEBS 08777) *K.K. Bhattacharyya, E.E. Bergstrom, L.E. Hokin* 233
Replacement of threonine residues by serine and alanine in a phosphorylatable heavy chain fragment of *Dictyostelium* myosin II (FEBS 08776) *D. Lück-Vielmetter, M. Schleicher, B. Grabatin, J. Wippler, G. Gerisch* 239
Influence of the second and third codon on the expression of recombinant hirudin in *E. coli* (FEBS 08778) *E. Degryse* 244
Uni-site catalysis in thylakoids: The influence of membrane energization on ATP hydrolysis and ATP-P_i exchange (FEBS 08779) *P. Fromme, P. Gräber* 247
Change in α-ketoglutarate dehydrogenase cooperative properties due to dihydrolipoate and NADH (FEBS 08780) *V.I. Bunik, O.A. Buneeva, V.S. Gomazkova* 252
Crystallization and preliminary x-ray diffraction study of neurotoxin-I from *Naja naja oxiana* VENOM (FEBS 08781) *A.M. Mikhailov, A.V. Nickitenko, S.D. Trakhanov, B.K. Vainshtein, E.V. Chetverina* 255
Is glucose the sole source of tissue browning in diabetes mellitus? (FEBS 08782) *J.V. Hunt, S.P. Wolff* 258
A novel enzymatic decarboxylation of oxalic acid by the lignin peroxidase system of white-rot fungus *Phanerochaete chrysosporium* (FEBS 08783) *Y. Akamatsu, D.B. Ma, T. Higuchi, M. Shimada* 261
Structure and developmental expression of the Dα2 gene encoding a novel nicotinic acetylcholine receptor protein of *Drosophila melanogaster* (FEBS 08787) *P. Jonas, A. Baumann, B. Merz, E.D. Gundelfinger* 264
Comparison of inhibitor binding in HIV-1 protease and in non-viral aspartic proteases: the role of the flap (FEBS 08784) *A. Gustchina, I.T. Weber* 269
Expression of the *Drosophila melanogaster* metallothionein genes in yeast (FEBS 08788) *P. Silar, M. Wegnez* 273

Errata and Corrigenda 277

Notes to Authors 278

FEBS NEWS 280

Research Letters

Tyrosine-specific phosphorylation of gpIIIa in platelet membranes (FEBS 08768) *M.A. Elmore, R. Anand, A.R. Horvath, S. Kellie* 283
TPA induces repression of EGF receptor gene expression (FEBS 08769) *D.P. Gardner, N. Shimizu* 288
^{31}P and ^{23}Na nuclear magnetic resonance studies of resting and stimulated mast cells (FEBS 08770) *U. Pilatus, H. Degani, I. Pecht* 292
An analysis of pseudocontact shifts and their relationship to structural features of the redox states of cytochrome b_5 (FEBS 08771) *N.C. Veitch, D. Whitford, R.J.P. Williams* 297
Retinoic acid induced differentiated neuroblastoma cells show increased expression of the βA4 amyloid gene of Alzheimer's disease and an altered splicing pattern (FEBS 08786) *G. König, C.L. Masters, K. Beyreuther* 305

A cellular 57 kDa protein binds to two regions of the internal translation initiation site of foot-and-mouth disease virus (FEBS 08789) *N. Luz, E. Beck* 311

Potassium channels in basolateral membrane vesicles from pars convoluta of rabbit proximal tubule (FEBS 08809) *C. Jacobsen, J. Blokkebak-Poulsen, M.I. Sheikh* 315

Isolation and functional expression of pituitary peptidylglycine α-amidating enzyme mRNA: A variant lacking the transmembrane domain (FEBS 08772) *I. Kato, H. Yonekura, H. Yamamoto, H. Okamoto* 319

Solubilization of sarcoplasmic reticulum membranes by sodium dodecylsulphate: A Fourier-transform infrared spectroscopic study (FEBS 08773) *A. Prado, A. Muga, J. Castresana, F.M. Goñi, J.L.R. Arrondo* 324

Inhibition of cysteine proteinases by a protein inhibitor from potato (FEBS 08785) *A.D. Rowan, J. Brzin, D.J. Buttle, A.J. Barrett* 328

Abnormal behavior of protein kinase C in the human myeloma cell line, RPMI 8226 (FEBS 08799) *M.R. Parant, B. Klein, H. Vial* 331

Selection of prosomes and prosomal RNA by immobilized viral RNAs (FEBS 08800) *A. Horsch, K. Köhler, M. Ellwart-Tschürz, H.-P. Schmid* 336

Resonance Raman spectra of large pea phytochrome at ambient temperature: Difference in chromophore protonation between red- and far red-absorbing forms (FEBS 08801) *S. Tokutomi, Y. Mizutani, H. Anni, T. Kitagawa* 341

Cloning of cDNA and genomic DNA for human cytochrome P-450$_{11\beta}$ (FEBS 08803) *T. Kawamoto, Ya. Mitsuuchi, K. Toda, K. Miyahara, Y. Yokoyama, Kazuwa Nakao, K. Hosoda, Y. Yamamoto, H. Imura, Y. Shizuta* 345

Production and purification of a granular-starch-binding domain of glucoamylase 1 from *Aspergillus niger* (FEBS 08819) *N.J. Belshaw, G. Williamson* 350

Q_A-depletion and reconstitution of a reaction center preparation from the photosynthetic bacterium *Rhodopseudomonas viridis* (FEBS 08820) *B. Liu, A.J. Hoff* 354

DNA methylation inhibits transcription by RNA polymerase III of a tRNA gene, but not of a 5S rRNA gene (FEBS 08821) *D. Besser, F. Götz, K. Schulze-Forster, H. Wagner, H. Kröger, D. Simon* 358

Characterization by FTIR spectroscopy of the photoreduction of the primary quinone acceptor Q_A in photosystem II (FEBS 08791) *C. Berthomieu, E. Nabedryk, W. Mäntele, J. Breton* 363

Ferredoxin-dependent methane formation from acetate in cell extracts of *Methanosarcina barkeri* (strain MS) (FEBS 08792) *R. Fischer, R.K. Thauer* 368

Tissue-specific and differential expression of prothymosin α gene during rat development (FEBS 08793) *M. Dosil, M. Freire, J. Gómez-Márquez* 373

Structure of syringotoxin, a bioactive metabolite of *Pseudomonas syringae* pv. *syringae* (FEBS 08794) *A. Ballio, F. Bossa, A. Collina, M. Gallo, N.S. Iacobellis, M. Paci, P. Pucci, A. Scaloni, A. Segre, M. Simmaco* 377

Immunochemical detection of photoaffinity-labelled capsaicin-binding proteins from sensory neurons (FEBS 08795) *J.N. Wood, C. Walpole, I.F. James, A. Dray, P.R. Coote* 381

Internalization of the Hm1 muscarinic cholinergic receptor involves the third cytoplasmic loop (FEBS 08796) *S. Maeda, J. Lameh, W.G. Mallet, M. Philip, J. Ramachandran, W. Sadée* 386

Action of spermidine, N^1-acetylspermidine, and N^8-acetylspermidine at apurinic sites in DNA (FEBS 08797) *B.I. Haukanes, K. Szajko, D.E. Helland* 389

Anti-idiotypic antibody identifies the structural similarity between the phosphatidylcholine-specific monoclonal antibody and phosphatidylcholine-specific lipid transfer protein (FEBS 08804) *K.S. Nam, M. Umeda, K. Igarashi, K. Inoue* 394

Determination of tRNA nucleotide residues directly interacting with proteins in the post- and pretranslocated ribosomal complexes (FEBS 08805) *G.G. Abdurashidova, E.A. Tsvetkova, E.I. Budowsky* 398

Pi trapping in glycogenolytic pathway can explain transient Pi disappearance during recovery from muscular exercise: A ^{31}P NRM study in the human (FEBS 08806) *D. Bendahan, S. Confort-Gouny, G. Kozak-Reiss, P.J. Cozzone* 402

Carnitine palmitoyltransferase (CPT_2) from liver mitochondrial inner membrane becomes inhibitable by malonyl-CoA if reconstituted with outer membrane malonyl-CoA binding protein (FEBS 08808) *I. Ghadiminejad, E.D. Saggerson* 406

Primary structure and functional expression of a high voltage activated calcium channel from rabbit lung (FEBS 08807) *M. Biel, P. Ruth, E. Bosse, R. Hullin, W. Stühmer, V. Flockerzi, F. Hofmann* 409

^{1}H nuclear magnetic resonance study of the solution conformation of an antibacterial protein, sapecin (FEBS 08810) *H. Hanzawa, I. Shimada, T. Kuzuhara, H. Komano, D. Kohda, F. Inagaki, S. Natori, Y. Arata* 413

Interleukin-1 stimulates glucose transport in rat adipose cells: Evidence for receptor discrimination between IL-1β and IL-1α (FEBS 08811) *A. Garcia-Welsh, J.S. Schneiderman, D.L. Baly* 421

The C-terminal binding domain of hirullin P18: Antithrombin activity and comparison to hirudin peptides (FEBS 08813) *J.L. Krstenansky, T.J. Owen, M.T. Yates, S.J.T. Mao* 425

The α_2B adrenergic receptor of undifferentiated neuroblastoma × glioma hybrid NG108-15 cells, interacts directly with the guanine nucleotide binding protein, G_i2 (FEBS 08815) *S.J. McClue, G. Milligan* 430

Hepatic zonation of insulin-stimulated tyrosine phosphorylation (FEBS 08816) *A. Bianchi, B. Quistorff, L.A. Witters* 435

Cloning and sequence analysis of a cDNA for human glycosylasparaginase: A single gene encodes the subunits of this lysosomal amidase (FEBS 08817) *K.J. Fisher, O.K. Tollersrud, N.N. Aronson, Jr.* 440

The 18S ribosomal RNA sequence of the sea anemone *Anemonia sulcata* and its evolutionary position among other eukaryotes (FEBS 08818) *L. Hendriks, Y. Van de Peer, M. Van Herck, J.-M. Neefs, R. De Wachter* 445

Transfection of $DHFR^-$ and $DHFR^+$ mammalian cells using methotrexate-resistant mutants of mouse dihydrofolate reductase (FEBS 08822) *J. Thillet, R. Pictet* 450

EF-hand motifs in inositol phospholipid-specific phospholipase C (FEBS 08823) *A. Bairoch, J.A. Cox* 454

Phosphorylation of chicken brain-type creatine kinase affects a physiologically important kinetic parameter and gives rise to protein microheterogeneity in vivo (FEBS 08824) *A.F.G. Quest, T. Soldati, W. Hemmer, J.-C. Perriard, H.M. Eppenberger, T. Wallimann* 457

Transient shift of diacylglycerol and inositol lipids induced by interferon in Daudi cells: Evidence for a different pattern between nuclei and intact cells (FEBS 08825) *A. Cataldi, S. Miscia, R. Lisio, R. Rana, L. Cocco* 465

Author Index volume 269 469

Contents volume 269 475

Notes to Authors 478